

2 OASIS State

Based on Home Health Care - State by State Data

State	How often the home health team began their patients' care in a timely manner
WI	<div></div> 92%

2 OASIS State

Based on Home Health Care - State by State Data

How often the home health team taught patients (or their family caregivers) about their drugs



92%

2 OASIS State

Based on Home Health Care - State by State Data

How often the home health team checked patients' risk of falling

96%

2 OASIS State

Based on Home Health Care - State by State Data

How often the home health team checked patients for depression

98%

2 OASIS State

Based on Home Health Care - State by State Data

How often the home health team determined whether patients received a flu shot for the current flu season



76%

2 OASIS State

Based on Home Health Care - State by State Data

How often the home health team determined whether their patients received a pneumococcal vaccine (pneumonia shot)

77%

2 OASIS State

Based on Home Health Care - State by State Data

With diabetes, how often the home health team got doctor's orders, gave foot care,
and taught patients about foot care

93%

2 OASIS State

Based on Home Health Care - State by State Data

How often the home health team checked patients for pain

98%

2 OASIS State

Based on Home Health Care - State by State Data

How often the home health team treated their patients' pain

98%

2 OASIS State

Based on Home Health Care - State by State Data

How often the home health team treated heart failure (weakening of the heart)
patients' symptoms

98%

2 OASIS State

Based on Home Health Care - State by State Data

How often the home health team took doctor-ordered action to prevent pressure sores (bed sores)

96%

2 OASIS State

Based on Home Health Care - State by State Data

How often the home health team included treatments to prevent pressure sores (bed sores) in the plan of care

97%

2 OASIS State


Based on Home Health Care - State by State Data

How often the home health team checked patients for the risk of developing pressure sores (bed sores)

98%


2 OASIS State

Based on Home Health Care - State by State Data




2 OASIS State

Based on Home Health Care - State by State Data




2 OASIS State

Based on Home Health Care - State by State Data



2 OASIS State

Based on Home Health Care - State by State Data



2 OASIS State

Based on Home Health Care - State by State Data

How often home health patients had to be admitted to the hospital



17%